Safety Data Sheet

Issue Date: 25-Mar-2014 Revision Date: 13-Jun-2016 Version: 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name: Agroblen 17-8-9+3MgO
Product Code E86270325GF
Synonyms: Agroblen 17-3.5-7.5+1.8Mg

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use: Fertilizer. Restricted to professional users.

Uses Advised Against: Consumer use.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Everris International BV

Nijverheidsweg 1-5; 6422 PD Heerlen (NL); Tel: +31 (0) 45-5609100; Fax: +31 (0) 45-5609190

For further information, please contact

INFO-MSDS@EVERRIS.COM

1.4. Emergency telephone number

IN CASE OF AN EMERGENCY CALL: +44 1235 239 670 (24h)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [EU-GHS]

2.2. Label elements

Product Identifier:

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [EU-GHS]

Signal Word:

None

EUH210 - Safety data sheet available on request

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Ingredients	EC-No.	CAS-No	Weight %	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Ammonium Nitrate; NH4NO ₃	229-347-8	6484-52-2	40 - 65%	Eye Irrit. 2 (H319) Ox. Sol. 3 (H272)	01-2119490981-27
Calcium sulphate dihydrate; CaSO ₄ +2H ₂ O	231-900-3	10101-41-4	1 - 5%	Not classified	01-2119444918-26
Magnesium oxide; MgO	215-171-9	1309-48-4	1 - 5%	Not classified	Exempt

Full text of H- and EUH-phrases: see section 16

Agroblen 17-8-9+3MgO Revision Date: 13-Jun-2016

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice: First aid measures should be executed by trained personnel only.

Inhalation: Dusty conditions are unlikely if product is used as intended. However, if prolonged

inhalation of dust occurs, remove casualty to fresh air. If symptoms persist, call a physician.

Skin Contact: If a person feels unwell or symptoms of skin irritation appear, consult a physician. Rinse

with plenty of water.

Eye Contact: Rinse eyes with water as a precaution. If eye irritation persists, consult a specialist.

Ingestion: If conscious, drink plenty of water. Do NOT induce vomiting. Rinse mouth. Consult a

physician if necessary.

Protection of First-Aiders: Low hazard for usual industrial or commercial handling.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: None under normal processing

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician: None under normal processing.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Unsuitable extinguishing media:

High volume water jet. Dry powder. Sand. Foam.

5.2. Special hazards arising from the substance or mixture

In case of fire, the product will smoulder even without the presence of external oxygen. In these conditions the product will show self sustaining decomposition. The best method to extinguish the fire is to cool the decomposition front with water. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous Combustion Products:

Carbon oxides. Phosphorus oxides. Ammonia. Nitrogen oxides (NOx).

5.3. Advice for firefighters

Coordinate fire extinguishing measures to fire in surrounding area. In the event of fire and/or explosion do not breathe fumes. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Use water spray to cool fire exposed surfaces.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions: Avoid dust formation. Sweep-up to prevent slipping hazard. For Emergency Responders: Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent product from entering drains. Do not contaminate surface water.

6.3. Methods and material for containment and cleaning up

Methods for Containment: Prevent further leakage or spillage if safe to do so.

Methods for Cleanup: Shovel or sweep up.

6.4. Reference to other sections

§ 8, 12, 13.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

General hygiene considerations:

Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. When using, do not eat, drink or smoke.

Revision Date: 13-Jun-2016

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/storage conditions:

Keep away from heat and sources of ignition. Keep away from food, drink and animal feeding stuffs. For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used bags should be closed well. Keep at temperatures between 0 °C and 40 °C.

5.1C

LGK (Germany)

Packaging Materials:

Bags or Bulk.

7.3. Specific end use(s)

Specific use(s)

Fertilizer; Read and follow label instructions; www.everris.com

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Ammonium Nitrate; NH4NO3		
Australia TWA	N.A.	
Czech Republic OEL	10.0 mg/m³ TWA	
Calcium sulphate dihydrate; CaSO ₄ +2H ₂ O		
Belgium - 8 Hr TWA	10 mg/m³ TWA	
German mak	TWA: 1.5 mg/m ³	
	TWA: 4 mg/m ³	
Portugal	TWA: 10 mg/m ³	
Spain OEL - Time Weighted Average (TWA):	TWA: 10 mg/m ³	
Switzerland	TWA: 3 mg/m ³	
Magnesium oxide; MgO		
Austria	STEL 20 mg/m ³	
	STEL 10 mg/m ³	
	TWA: 5 mg/m ³	
	TWA: 10 mg/m ³	
Australia TWA	10 mg/m³ TWA fume	
Belgium - 8 Hr TWA 10 mg/m ³		
Bulgaria - Occupational Exposure Limits - TWAs	10.0 mg/m³ TWA	
Czech Republic OEL	5 mg/m³ TWA	
Denmark	TWA: 6 mg/m ³	
Greece - OEL 10 mg/m³ TWA (inhalable fraction); 5 mg/m³ TWA		
Iceland - OEL - 8 Hour	6 mg/m³ TWA Mg	
France - Occupational Exposure Limits - 8 Hour VMEs	TWA: 10 mg/m ³	
German mak	TWA: 1.5 mg/m³	
	TWA: 4 mg/m ³	
Hungary - Occupational Exposure Limits - TWAs	6 mg/m³ TWA	
Ireland	TWA: 4 mg/m ³	
	TWA: 5 mg/m ³	
	TWA: 10 mg/m ³	
	STEL: 10 mg/m ³	
	STEL: 12 mg/m³ STEL: 30 mg/m³	
Koroa ISHA Cooungtional Exposure Limita TWAs	9	
Korea - ISHA - Occupational Exposure Limits - TWAs Malaysia - Occupational Exposure Limits - 10 mg/m³ TWA (fume)	10 mg/m³ TWA (Serial No. 272)	

Malaysia - Occupational Exposure Limits - 10 mg/m³ TWA (fume)

TWAs

Netherlands - OEL - MACs:	10 mg/m ³
Norway	TWA: 10 mg/m ³
	STEL: 20 mg/m ³

Revision Date: 13-Jun-2016

Poland	TWA: 10 mg/m ³
Portugal	TWA: 10 mg/m ³
Romania - Occupational Exposure Limits - TWAs	5 mg/m³ TWA (fume)
Spain OEL - Time Weighted Average (TWA):	TWA: 10 mg/m ³
Switzerland	TWA: 3 mg/m ³
UK oes/mel:	STEL: 30 mg/m ³
	STEL: 12 mg/m ³
	TWA: 10 mg/m ³
	TWA: 4 mg/m ³

Derived No Effect Level (DNEL)

No data available

Predicted No Effect Concentration (PNEC)

No data available.

8.2. Exposure controls

Engineering Measures to Reduce

Ensure adequate ventilation, especially in confined areas.

Exposure:

Personal protective equipment

Eye/Face Protection: Tightly fitting safety goggles

Hand protection: Nitrile rubber (0.26 mm). Break through time. > 8 h.

Respiratory Protection: In case of insufficient ventilation wear suitable respiratory equipment.

Skin and Body Protection: Lightweight protective clothing

Hygiene Measures: Follow good housekeeping practices. When using, do not eat, drink or smoke. Keep away

from food, drink and animal feeding stuffs.

Environmental exposure controls Do not allow into any sewer, on the ground or into any body of water.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State:SolidAppearance:GranulesColor:brown.Odor:Not significantBulk density:972 - 1122 kg/m³pH:no data available

Melting Point/Freezing Point: no data available Solid, Not Applicable **Boiling Point/Range:** Flash Point: Solid, Not Applicable Solid, Not Applicable **Evaporation Rate:** Flammability (solid, gas): Non-flammable Solid, Not Applicable Vapor Pressure: Vapor Density: Solid, Not Applicable **Specific Gravity:** no data available Water Solubility: Soluble in water Solubility(ies) no data available **Partition Coefficient:** Solid, Not Applicable Not Applicable **Autoignition Temperature:**

Explosive Properties:Doesn't present explosion hazard. Based on data of ingredients.

Oxidizing Properties:
Not considered an oxidizer. Based on data of ingredients.

no data available

9.2. Other information

Decomposition Temperature:

Not applicable

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Not reactive.

10.2. Chemical stability

Stable under recommended storage conditions.

Agroblen 17-8-9+3MgO Revision Date: 13-Jun-2016

10.3. Possibility of hazardous reactions

Hazardous Decomposition Products:

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Possibility of Hazardous Reactions:

None under normal processing.

10.4. Conditions to avoid

For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used bags should be closed well.

10.5. Incompatible materials

Strong oxidizing agents. Acids and bases. Strong reducing agents. Flammable materials. Keep away from catalysts like derivates of hexavalent chromium and metal halides. Keep away from flammable products (fuels) like charcoal, wood, flour, soot etc.

10.6. Hazardous decomposition products

None under normal processing.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity

Product Information:

Inhalation: May cause irritation of respiratory tract.

May cause irritation. **Eye Contact: Skin Contact:** May cause irritation.

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion:

16% of the mixture consists of ingredient(s) of unknown toxicity. **Unknown Acute Toxicity:**

Component Information:

See also section 3. **Skin Corrosion or Irritation** Serious Eye Damage or Eye Irritation See also section 3. See also section 3. Sensitization **Mutagenic effects** See also section 3.

Carcinogenicity The table below indicates whether each agency has listed any

ingredient as a carcinogen.

Reproductive Toxicity

Teratogenicity No known effects under normal use conditions. **STOT - Single Exposure** No known effects under normal use conditions. **STOT - Repeated Exposure** None under normal use conditions.

Aspiration Hazard None under normal use.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Do not allow product to enter the environment uncontrolled.

16% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Ingredients	Algae/aquatic plants	Fish	Crustacea
Ammonium Nitrate; NH ₄ NO ₃		65 - 85: 48 h Cyprinus carpio	
		mg/L LC50 semi-static	

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

Component	LOGPOW
Ammonium Nitrate; NH₄NO₃ 6484-52-2 (40 - 65%)	-3.1

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal of Wastes: Disposal should be in accordance with applicable regional,

national and local laws and regulations.

Contaminated Packaging: Do not re-use empty containers. Dispose of as unused product. Other Information:

Use up product completely. Packaging material is industrial

Revision Date: 13-Jun-2016

Section 14: TRANSPORT INFORMATION

IMO / IMDG

14.1

2071 UN-No:

14.2

AMMONIUM NITRATE BASED FERTILIZER Proper shipping name:

14.3

Hazard Class: 9

14.4

Packing group: Ш

<u>14.5</u>

Marine Pollutant: Not regulated

14.6 EmS: F-H/S-Q 186, 193

Special Provisions 14.7

Transport in bulk according to Annex II of MARPOL 73/78 Not regulated

and the IBC Code

ADR/RID

14.1

UN-No: Not regulated

14.2

Proper shipping name: Not regulated

14.3

Hazard Class: Not regulated

<u>14.4</u>

Not regulated Packing group:

<u>14.5</u>

Not regulated **Environmental Hazard**

14.6

Special Provisions None

IATA 14.1

UN-No: 2071

14.2

Proper shipping name: AMMONIUM NITRATE BASED FERTILIZER

14.3

9 **Hazard Class:**

14.4

Revision Date: 13-Jun-2016

Packing group: Ш

<u>14.5</u>

Environmental Hazard Not regulated

14.6

Special Provisions A89, A90

(Bad file name)

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH:

Component	EU - REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances
Ammonium Nitrate; NH4NO3	Use restricted. See item 58. (Conditions of restrictions 27 June 2010)
6484-52-2 (40 - 65%)	

National regulations

Belaium

Component		Belgium - Major Accidents - Qualifying Quantities for Accident Prevention
Ammonium Nitrate; NH4NO3	2500 tonne (Note 3, applies to Ammonium	350 tonne (Note 3, applies to Ammonium
6484-52-2 (40 - 65%)	nitrate in which the Nitrogen content due to	nitrate in which the Nitrogen content due to
, ,	Ammonium nitrate is >28% by weight	Ammonium nitrate is >28% by weight
	containing <=0.2 % combustible material,	containing <=0.2 % combustible material,
	>24.5% and <28% by weight containing	>24.5% and <28% by weight containing
	<=0.4% combustible material and to	<=0.4% combustible material and to aqueous
	aqueous Ammonium nitrate solutions in	Ammonium nitrate solutions in which the
	which the concentration of Ammonium nitrate	concentration of Ammonium nitrate is >80%
	is >80% by weight)	by weight)

Denmark

Danish Sikkerhedsgruppe В

France

ICPE Classified installation: article 1331 (Type I)

Germany

Gefahrstoffverordnung (Germany) TRGS 511 ΒII LGK (Germany) 5.1C

Water Endangering Class (WGK): 1 (Everris classification)

Component	German WGK Section
Ammonium Nitrate; NH4NO3	class 1
6484-52-2 (40 - 65%)	
Magnesium oxide; MgO	class 1
1309-48-4 (1 - 5%)	

European Union

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

15.2 Chemical safety assessment

Not required. Substance(s) usage is covered according to Reach regulation 1907/2006.

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H319 - Causes serious eye irritation

H272 - May intensify fire; oxidizer

Key or legend to abbreviations and acronyms used in the safety data sheet

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

ICAO: International Civil Aviation Organization

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No Effect Concentration

DNEL: Derived No-Effect Level

Reach: Registration, Evaluation, authorization of Chemicals CLP: EU-GHS; Classification, Labelling and Packaging

OEL: Occupational Exposure Limit TWA: Time Weighted Average ATE: Acute Toxicity Estimate

EUH statement: CLP (EU) specific hazard statement.

Classification procedure: - Calculation method

- Expert judgment and weight of evidence determination

Revision Date: 13-Jun-2016

Key literature references and sources for data

According to EC Regulation 1907/2006 (Reach), Regulation EU

No. 2015/830. Regulation (EC) No 1272/2008.

Prepared by: Regulatory Affairs Department (INFO-MSDS@EVERRIS.COM)

 Issue Date:
 25-Mar-2014

 Revision Date:
 13-Jun-2016

Reason for revision: *** Indicates changes since the last revision. This version

replaces all previous versions.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

This information contained herein is, to the best of Everris' knowledge and belief, accurate and reliable as of the date of preparation of this document. However, no warranty or guarantee, express or implied, is made as to the accuracy or reliability, and Everris shall not be liable for any loss or damage arising out of the use thereof. No authorization is given or implied to use any patented invention without a license. In addition, Everris shall not be liable for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.

End of Safety Data Sheet

Page 8 of 8